

SAFETY DATA SHEET

Issued: 17 May 2015

Revision Number: 3

According to Regulation (EC) No. 1907/2006 (REACH)

STAIN REMOVER FOR RUGS

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

1.1 PRODUCT IDENTIFIER:

Product name: STAIN REMOVER FOR RUGS

Product code: ST 7

1.2 RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST

Intended Use: Solvent containing ready-for-use product for the removal of stains from rugs, carpets and fabrics.

Uses advised against: Avoid using on velvet, viscose, silk and satin fabrics.

Reason why uses advised against: May irreversibly damage the fabric

1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

Supplier: Stainshield Limited

PO Box 336

Oxshott

Leatherhead

Surrey

KT22 2DB

UK

Telephone number: +44(0)1372 841467

Fax Number: +44(0)1372 841465

Email: james@stain-shield.ltd.uk

1.4 EMERGENCY TELEPHONE NUMBER (NOT 24hrs)

Only available during office hours: +44(0)1372 841467

SECTION 2 HAZARDS IDENTIFICATION

2.1 CLASSIFICATION OF SUBSTANCE OR MIXTURE

2.1.1 Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 (H319)

Asp. Tox 1 (H304)

2.1.2 Classification according to EU Directive 1999/45 EC

Xn; R65

2.1.3 Additional Information

For full text of R-phrases and Hazard and EU Hazard statements: see **SECTION 16**

SAFETY DATA SHEET

Issued: 17 May 2015

Revision Number: 3

According to Regulation (EC) No. 1907/2006 (REACH)

STAIN REMOVER FOR RUGS

2.2. LABEL ELEMENTS

Label elements according to according to Regulation (EC) No. 1272/2008 (CLP)

Pictogram(s):



Signal Word: Danger

Hazard Statement(s):

H319 Causes serious eye irritation.

H304 May be fatal if swallowed and enters airways.

Precautionary statement(s):

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P301+P310 IF SWALLOWED: Immediately call a doctor.

P331 Do NOT induce vomiting.

P501 Dispose of contents/container to hazardous waste collection point for disposal in accordance with local, regional, national or international regulations.

2.3 OTHER HAZARDS

No hazards known.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

3.1 SUBSTANCES

Not Applicable. This product is regulated as a mixture.

3.2 MIXTURES

Description of the mixture: Solvent and surfactant containing mixture

Hazardous ingredients:

Name	CAS No	EC No	Index Number	% (weight)	Classification	Classification according to
------	--------	-------	--------------	------------	----------------	-----------------------------

SAFETY DATA SHEET

Issued: 17 May 2015

Revision Number: 3

According to Regulation (EC) No. 1907/2006 (REACH)

STAIN REMOVER FOR RUGS

					according to 67/548/EEC	Regulation (EC) No 1278/2008 (CLP)
Kerosine- unspecified	64742-47-8	265-149-8	649-422-00-2	40-50 %	Xn; R65	Aspiration Tox. 1 (H304)
Isotridecanol ethoxylated	24938-91-8	-	-	≤3%	Xn; R22 Xi; R41	Acute Tox 4 (H302) Eye Dam. 1 (H318)

Please see section 16 for full hazard statements and R-phrases

SECTION 4 FIRST AID MEASURES

4.1 DESCRIPTION OF FIRST AID MEASURES

GENERAL NOTES

Remove any sources of ignition. Provide additional ventilation to the area where possible. Spillage may make surfaces slippery.

INHALATION

Low risk of inhalation unless product is handled at high temperatures with poor ventilation. Remove source of contamination or move victim to fresh air. For those providing assistance, minimise exposure to yourself or others. Use adequate respiratory protection in enclosed places with poor ventilation. Symptoms include headache, nausea, vomiting and an altered state of consciousness. If unconsciousness occurs, seek immediate medical assistance. If breathing has stopped, assist ventilation with a mechanical device or use mouth-to-mouth resuscitation.

SKIN CONTACT

Wash contact areas with soap and water. Remove contaminated shoes and clothing as soon as possible. Wash contaminated clothing before reuse. Seek medical attention if skin irritation, swelling or redness develops or persists.

EYE CONTACT

Immediately flush the contaminated eye(s) thoroughly with lukewarm, flowing water for 5 minutes, while holding the eyelid(s) open. Obtain medical advice.

INGESTION

Few or no symptoms expected. Nausea and diarrhoea may occur. Do not induce vomiting. Have victim drink 100-200 ml water. If vomiting occurs, have victim lean forward to reduce risk of aspiration. Have victim rinse mouth with water. Seek immediate medical attention.

4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

Acute: Little or no symptoms expected.

Delayed: None known.

4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

SAFETY DATA SHEET

Issued: 17 May 2015

Revision Number: 3

According to Regulation (EC) No. 1907/2006 (REACH)

STAIN REMOVER FOR RUGS

None known.

SECTION 5 FIRE FIGHTING MEASURES

5.1 EXTINGUISHING MEDIA

Suitable Extinguishing Media: Use water fog, foam, dry chemical or carbon dioxide (CO₂).

Unsuitable Extinguishing Media: Streams of water from jet.

5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

Product may float which could reignite on surface water.

Hazardous Combustion Products: Smoke, Fumes, Incomplete combustion products, Oxides of carbon

5.3 ADVICE FOR FIRE FIGHTERS

Fire Fighting Instructions: Fire-fighters should use standard protective equipment and in enclosed spaces, self-contained breathing apparatus (SCBA).

Flammability Properties (Kerosine – unspecified):

Flash Point (Method): 77°C (Method: Closed cup)

Upper/Lower Flammable Limits (Approximate volume % in air): UEL: 7.0 LEL: 0.6

Autoignition Temperature: 225°C

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

6.1.1 For non-emergency personnel

Protective equipment: Ensure area is as well ventilated as possible before tackling spillage. Use -face or full-face respirator with filter(s) for organic vapour respiratory mask where available in confined areas.

Emergency procedure: Evacuate downwind if required. Keep unprotected persons and animals out of the area. Remove any ignition sources. Isolate and dike to confine the spill and absorb with a non-combustible absorbent such as clay, sand or soil. Vacuum, shovel or pump waste into a drum and label contents for disposal. Repeat if necessary.

6.1.2 For emergency responders

Respiratory protection: half-face or full-face respirator with filter(s) for organic vapour and, when applicable, Self Contained Breathing Apparatus (SCBA) can be used depending on the size of spill and potential level of exposure. Gloves that are resistant to aromatic hydrocarbons are recommended.

SAFETY DATA SHEET

Issued: 17 May 2015

Revision Number: 3

According to Regulation (EC) No. 1907/2006 (REACH)

STAIN REMOVER FOR RUGS

Small spills (<5L): Normal antistatic work clothes are usually adequate.

Large spills (>5L): Full body suit of chemical resistant, antistatic material is recommended.

6.2 ENVIRONMENTAL PRECAUTIONS

This product is dangerous for the environment. Keep away from drains, soil or water courses.

6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

6.3.1 For containment:

Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Dyke far ahead of liquid spill for later recovery and disposal.

6.3.2 For cleaning up:

Collect with non combustible absorbent material (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local/ national regulation (see section 13).

6.3.3 Other information: N/A

6.4 REFERENCE TO OTHER SECTIONS

See Sections 8 and 13.

SECTION 7 HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING

Do not breathe spray. Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Take precautionary measures against static electricity. Provide good ventilation at all times. Keep out of the reach of children. Keep away from food, drink and animal feedingstuffs.

7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Keep containers tightly closed in dry, cool and well-ventilated place. Only store in original packaging. Keep away from ignition sources.

7.3 SPECIFIC END USES:

For use only as a stain remover on fabrics, carpets and rugs.

SAFETY DATA SHEET

Issued: 17 May 2015

Revision Number: 3

According to Regulation (EC) No. 1907/2006 (REACH)

STAIN REMOVER FOR RUGS

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 CONTROL PARAMETERS

8.1.1 Occupational Exposure Limit Values

Component	Form	Limit	Source
Kerosine - unspecified	Vapour	1200 mg/m ³	EU OEL (Europe)

Derived No Effect Level (DNEL)/Derived Minimal Effect Level (DMEL)

No data available

Predicted No Effect Concentration (PNEC)

No data available

8.2 EXPOSURE CONTROLS

8.2.1 Appropriate engineering controls

Ensure adequate ventilation. If treating a large area then open windows/ doors during treatment.

8.2.2 Individual protection measures, such as personal protective equipment

Hydrocarbon resistant gloves are recommended. Check with glove manufacturer for specific advice.

Wash after handling the material and before eating, drinking, and/or smoking.

8.2.3 Environmental exposure controls

Try to avoid release of product to drains, soil or water courses.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

- (a) Physical State: Clear, colourless liquid
- (b) Odour: Faint aromatic
- (c) Odour Threshold: No data available
- (d) pH: No data available
- (e) Melting Point: No data available
- Freezing Point: No data available
- (f) Boiling Point/ Boiling Range: 146°C - 299°C (Kerosine-unspecified)
- (g) Flash Point (Method): >60°C
- (h) Evaporation Rate: No data available
- (i) Flammability (Solid, Gas): No data available
- (j) Upper explosion limit: 7.0% (V) (Kerosine-unspecified)
- Lower explosion limit: 0.6% (V) (Kerosine-unspecified)

SAFETY DATA SHEET

Issued: 17 May 2015

Revision Number: 3

According to Regulation (EC) No. 1907/2006 (REACH)

STAIN REMOVER FOR RUGS

- (k) Vapour Pressure: <1 – 3.7 kPa (37.8°C) (Hydrocarbons Kerosine-unspecified)
- (l) Vapour Density (Air = 1): No data available
- (m) Relative Density (at 15 °C): ≥0.77 - 0.85 g.cm³ (15 °C) (Kerosine-unspecified)
- (n) Solubility(ies): No data available
- (o) Partition coefficient (n-Octanol/Water Partition Coefficient): No data available
- (p) Autoignition Temperature: 225°C (Kerosine-unspecified)
- (q) Decomposition Temperature: No data available
- (r) Viscosity: 1 – 2.4 cSt mm²/sec (40°C) (Kerosine-unspecified)
- (s) Explosive Properties: No data available
- (t) Oxidising Properties: No data available

9.2 OTHER INFORMATION

Molecular Weight: No Data available

SECTION 10 STABILITY AND REACTIVITY

10.1 REACTIVITY

Stable under ambient storage conditions

10.2 CHEMICAL STABILITY

Product is stable under normal conditions.

10.3 POSSIBILITY OF HAZARDOUS REACTIONS

No dangerous reactions known during recommended use.

10.4 CONDITIONS TO AVOID

Heat, sparks, flames and other ignition sources.

10.5 INCOMPATIBLE MATERIALS

Strong oxidising materials

10.6 HAZARDOUS DECOMPOSITION PRODUCTS

In case of fire hazardous decomposition products may be produced such as carbon oxides.

SECTION 11 TOXICOLOGICAL INFORMATION

11.1 INFORMATION ON TOXICOLOGICAL EFFECTS

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH)

STAIN REMOVER FOR RUGS

1) Read-across data from similar materials (structural analogue or surrogate unless otherwise indicated) or Kerosine - unspecified

Acute toxicity:

Oral toxicity

Method	Acute Oral Fixed dose procedure (OECD Guideline 420)	Acute toxic class method (OECD Guideline 401)	EPA OTS 798.1175 (Acute Oral Toxicity)	Acute toxic class method (OECD Guideline 401)
Read Across substance	No	Yes	Yes	Yes
Species	Rat	Rat	Rat	Rat
Routes of exposure	Oral: gavage	Oral: gavage	Oral: gavage	Oral: gavage
Endpoint	LD50	LD50	LD50	LD50
Effective Dose	> 5000 mg/kg bw	> 20000 mg/kg bw	> 5000 mg/kg bw	> 5000 mg/kg bw
Exposure time	One dose	One dose	One dose	One dose

Inhalation toxicity

Method	Standard acute method (OECD Guideline 403)	Standard acute method (OECD Guideline 403)	Standard acute method (OECD Guideline 403)	Standard acute method (OECD Guideline 403)
Read Across substance	No	No	No	No
Species	Rat	Rat	Rat	Rat
Routes of exposure	Inhalation: vapour	Inhalation: vapour	Inhalation: vapour	Inhalation: vapour
Endpoint	LC50	LC50	LC50	LC50
Effective Dose	> 5.28 mg/L air	> 6.03 mg/L air	> 4.5 mg/L air	> 5.3 mg/L
Exposure time	4 hours	4 hours	4 hours	4 hours

Dermal toxicity

Method	Standard acute method (OECD Guideline 402)	Standard acute method (OECD Guideline 402)	Standard acute method (OECD Guideline 402)	Standard acute method (OECD Guideline 402)
Read Across substance	No	No	No	No
Species	Rabbit	Rabbit	Rabbit	Rabbit
Routes of exposure	Skin: occlusive	Skin: occlusive	Skin: occlusive	Skin: occlusive
Endpoint	LD50	LD50	LD50	LD50
Effective Dose	≥ 3160 mg/kg bw	> 5000 mg/kg bw	> 2000 mg/kg bw	> 2000 mg/kg bw
Exposure time	24 hours	24 hours	24 hours	24 hours

Serious eye damage/ irritation:

Method	EPA OTS 798.1100 (Acute Dermal Toxicity)	Acute Dermal Toxicity (OECD Guideline 402)	Acute Dermal Toxicity (OECD Guideline 402)
Read Across substance	No	No	No
Species	Rabbit	Rabbit	Rabbit
Routes of exposure	Skin: occlusive	Skin: occlusive	Skin: occlusive
Dose	2000 mg/kg	5 ml/kg	2000 mg/kg
Result	Not classified	Not classified	Not classified
Exposure time	14 days	14 days	14 days

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH)

STAIN REMOVER FOR RUGS

Respiratory or skin sensitisation:

Method	Guinea pig maximisation test (OECD Guideline 406)	EPA OTS 798.4100 (Skin Sensitisation)	EPA OTS 798.4100 (Skin Sensitisation)
Read Across substance	Yes	Yes	Yes
Species	Guinea pig	Guinea pig	Rabbit
Routes of exposure	dermal occlusive dressing	dermal occlusive dressing;	dermal occlusive dressing; topical challenge
Dose	50%; 25%; 12.5%	0.1ml	25%
Result	Not considered a dermal sensitiser	Not considered a dermal sensitiser	Not considered a dermal sensitiser

Germ cell mutagenicity:

Method	Mammalian cell gene mutation assay (OECD Guideline 476)	Bacterial reverse mutation assay (OECD Guideline 471)	Mammalian Bone Marrow Chromosome Aberration Test (OECD Guideline 475)
Read Across substance	Yes	Yes	No
Species	Mouse Lymphoma L5178Y cells in vitro	<i>S. typhimurium</i> TA 1535, TA 1537, TA 98 and TA 100	Rat
Dose	Without activation: 6.25 – 37.5 nl/ml With activation: 3.91 – 6.25 nl/ml	0.001 - 5.0 µl/plate	0, 0.3, 1.0, 3.0 g/kg
Genotoxicity Result	Negative with and without metabolic activation	Negative	Negative

Carcinogenicity & Reproductive toxicity:

Method	Carcinogenicity Studies (OECD Guideline 451)	Reproduction / Developmental Toxicity Screening Test (OECD Guideline 421)
Read Across substance	No	No
Species	Mouse	Rat
Routes of exposure	Inhalation: vapour	Dermal
Endpoint	LOAEL	NOAEL
Dose	0, 250, or 500 mg/kg	165 (20%), 330 (40%) & 494 (60%) mg/kg/day
Effect Level	250 mg/kg bw/day	≥ 494 mg/kg bw/day
Exposure time	5 days/ week	7 days/ week

Summary of evaluation of the CMR properties:

Not considered to be a carcinogenic, mutagenic, or reproductive toxicant.

STOT-single exposure:

No data available.

STOT-repeated exposure:

No data available.

SAFETY DATA SHEET

Issued: 17 May 2015

Revision Number: 3

According to Regulation (EC) No. 1907/2006 (REACH)

STAIN REMOVER FOR RUGS

Aspiration hazard:

Based on physico-chemical properties of the material.

Other information:

No data available.

SECTION 12 ECOLOGICAL INFORMATION

The information given is based on data available for substances detailed in section 3.2 unless otherwise specified.

12.1. TOXICITY

Acute (short-term) toxicity:

Fish:

Method	Fish, Acute toxicity Test (OECD Guideline 203)
Substance	naphtha (petroleum), heavy
Species	Rainbow trout
Routes of exposure	in water
Endpoint	LL50
Effective Dose	25 mg/l
Exposure time	96 hr

Crustacea:

No data available

Algae/ aquatic plants:

Method	Alga, Growth Inhibition Test (OECD Guideline 201)
Substance	Kerosine - unspecified
Species	<i>Pseudokirchnerella subcapitata</i>
Routes of exposure	in water
Endpoint	EL50
Effective Dose	13 mg/l
Exposure time	72 hr

Other organisms:

Method	QSAR modelled data (calculated)
Substance	Kerosine - unspecified
Species	<i>Tetrahymena pyriformis</i>
Routes of exposure	in water
Endpoint	EL50
Effective Dose	677.9 mg/l
Exposure time	72 hr

Chronic (long-term) toxicity:

Fish:

Method	QSAR modelled data (calculated)
Substance	Kerosine - unspecified
Species	Rainbow trout

SAFETY DATA SHEET

Issued: 17 May 2015

Revision Number: 3

According to Regulation (EC) No. 1907/2006 (REACH)

STAIN REMOVER FOR RUGS

Routes of exposure	in water
Endpoint	NOEL
Effective Dose	0.098 mg/l
Exposure time	28 days

Crustacea:

No data available

Algae/ aquatic plants:

No data available

Other organism:

No data available

12.2 PERSISTENCE AND DEGRADABILITY

Abiotic Degradation: Expected to be

Physical- and photo-chemical elimination: Not likely to hydrolysable

Biodegradation: The substances in this product are expected to be biodegradable

12.3 BIOACCUMULATIVE POTENTIAL

Partition coefficient n-octanol/ water (log Kow): Not determined

Bioconcentration factor (BCF): Not determined

12.4 MOBILITY IN SOIL

Known or predicted distribution to environmental compartments: No data available

Surface tension: No data available

Adsorption/ Desorption: No data available

12.5 RESULTS OF PBT AND vPvB ASSESSMENT

This product does not contain any PBT or vPvB substances

12.6 OTHER ADVERSE EFFECTS

No adverse effects are expected.

12.7 ADDITIONAL INFORMATION

No data available

SECTION 13 DISPOSAL CONSIDERATIONS

Dispose of waste and residues in accordance with local authority requirements.

Dispose of contents/container to a household waste recycling centre as hazardous waste except for empty containers which can be disposed of by recycling. Contact your local council for details.

13.1 WASTE TREATMENT METHODS

This mixture is suitable for disposal by supervised incineration at very high temperatures to prevent formation of undesirable combustion products by a specialist company.

SAFETY DATA SHEET

Issued: 17 May 2015

Revision Number: 3

According to Regulation (EC) No. 1907/2006 (REACH)

STAIN REMOVER FOR RUGS

REGULATORY DISPOSAL INFORMATION

European Waste Code: 08 XX XX

Empty containers may contain residue and can be dangerous. DO NOT EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, OR OTHER SOURCES OF IGNITION. THEY MAY EXPLODE AND CAUSE INJURY.

SECTION 14 TRANSPORT INFORMATION

14.1 – 14.6 This product is not regulated for carriage according to ADR/RID/ADN, IMDG, ICAO-TI/IATA-DGR

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

Limited Quantity Exemptions: Maximum quantity per inner receptacle is 5 litres. Maximum quantity per outer package is 30 litres. Combination packs only.

SECTION 15 REGULATORY INFORMATION

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE SUBSTANCE OR MIXTURE

This Safety Data Sheet was prepared in accordance with EC Regulation (EC) No. 1907/2006 as amended. The product has been classified in accordance with Regulation (EC) No. 1272/2008 (CLP), Directive 67/548/EEC & Directive 1999/45/EC.

15.2 CHEMICAL SAFETY ASSESSMENT

REACH Information: A Chemical Safety Assessment has been carried out for one or more substances present in the material.

SECTION 16 OTHER INFORMATION

List of abbreviations and acronyms:

ADN	European provisions concerning the international carriage of dangerous goods by inland waterways
ADNR	European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement Concerning the International Carriage of Dangerous Goods by Road
ASTM	American Society for Testing and Material
bw	body weight
CAS	Chemical Abstracts Service
CHIP	Chemical (Hazard Information and Packaging) Regulations
CLP	Classification Packaging and Labelling
CMR	Carcinogenic, Mutagenic or toxic to Reproduction
cSt	Centistokes
EC	European Commission
EC	European Communities
EEC	European Economic Community

SAFETY DATA SHEET*According to Regulation (EC) No. 1907/2006 (REACH)***STAIN REMOVER FOR RUGS**

EPA	US Environmental Protection Agency
EU	European Union
g	grams
HSE	Health and Safety Executive
IATA	International Air Transport Association
IBC	International bulk container
ICAO-TI	Technical Instructions for the Safe Transport of Dangerous Goods by Air
ID	Identification
IMDG	International Maritime Dangerous Goods Code
Inh	inhalation
ISO	International Organization for Standardization
kg	kilogram
Kow	Octanol/Water Partition Coefficient
LC	Lethal Concentration
LD	Lethal Dose
LEL	Lower Explosive Limit/Lower Explosion Limit
m ³	cubic metre
mg	milligram
ml	millilitre
mm	millimetre
nl	nanolitre
N.O.S.	Not Otherwise Specified
NOAEC	No Observed Adverse Effect Concentration
NOAEL	No Observed Adverse Effect Level
NOELR	No Observed Effect Loading Rate
OECD	Organisation for Economic Cooperation and Development
PBT	Persistent, Bioaccumulative and Toxic chemicals
ppm	parts per million
QSAR	Quantitative Structure-Activity Relationship
REACH	Registration Evaluation and Authorisation of Chemicals
RID	Règlements Internationales Relatif au Transport des Marchandises Dangereuses par Chemin de Fer
STOT	Specific target organ toxicity
Tox	Toxicity
UEL	Upper explosive limit
UN	United Nations
VOC	Volatile Organic Compound
vPvB	Very Persistent and Very Bioaccumulative substances

List of relevant Hazard and Precautionary Phrases

H-statements

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H318	Causes serious eye damage.

SAFETY DATA SHEET

Issued: 17 May 2015

Revision Number: 3

According to Regulation (EC) No. 1907/2006 (REACH)

STAIN REMOVER FOR RUGS

Risk Phrases

R22	Harmful if swallowed
R41	Risk of serious damage to eyes
R65	Harmful: may cause lung damage if swallowed

References

ECHA European Chemicals Agency, <http://echa.europa.eu/>

Revisions

Revision 2: Modernised for CLP & REACH, changes throughout in all sections 1-16.

Revision 3: CLP classification of mixture carried out. Section 2,3,16 updated.

Legal disclaimer

The above information is believed to be correct but does not purport to be all inclusive and shall only be used as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product. ©Stainshield 2015